

● FEATURES



- 1.Support P2P function; Easily monitoring via PC, iPhone and Andriod mobile phone.(Mobile phone APP:Qmeye)
- 2.Support remotely playback the recorded video in NVR by PC and mobile phone
- 3.The same Client Software can manage different type security cameras .
- 4.Support Software update, Support 20 Languages
- 5-Support ONVIF

● SPECS



| Model | MVT-AH6404H |
|-------------------------|---|
| Operation | Embedded Linux |
| Image edit control | Image edit adjustable,both changable and fix stream optional |
| Double stream | Can be set up in each channel |
| Video standard | 1080P(1920×1080)30FPS/S/960P/(1280×960)/720P(1280×720)30FPS/S ,frames /second |
| Monitor image quality | 1080P(1920×1080) / 960P/(1280×960)/720P(1280×720) |
| Image dynamic detection | Multiple detection areas can be installed level 6 sensitivity(IPC) |
| Image playback quality | 2ch 1080P real time/4ch 720P/4ch 960P synchronous playback |
| Video mode | Support manual, automatic, dynamic monitoring, alarm trigger video mode (need) IPC support part |
| Backup mode | U disk, USB mobile hard disk, USB burn, network storage and backup |
| Operate mode | Mouse |
| login locally | admin and password |
| Save recording | local hard disk and network |

| | | |
|------------------------------|---------------------------|---|
| External interface | Video input | 4×(1920×1080) IP camera |
| | Video output | 1ch VGA+1ch HDMI +1TV |
| | Audio output | 1ch RCA audio output |
| | Network interface | 1ch RJ45,10M/100M ethernet ports adaptively |
| | USB connect port | 2 x USB connect port |
| | Wireless interface | Support external USB and 3G equipment |
| | RS485 | RS485*1 |
| | Alarm input | No alarm |
| | Alarm output | No alarm |
| Hard disk | HDD port | 1 SATA HDD port |
| | Maximum capacity | Maximum 3TB each SATA |
| Cell phone monitoring | | iOS□Android |
| Power | | 12V/2A |
| Working temperature | | -10°C□□55°C |
| Working humidity | | 10□-90□ |
| NVR size | | 340*265*70mm |
| Weight | | 2.5kg(without HDD) |



P2P Function Advantages:

- *No stable IP address needed**
- *No DDNS setup needed**
- *No Router setup needed**
- *Reducing your after-sales cost**

Mobile Phone View

(All MVTEAM DVR, AHD DVR, CVI DVR, SDI DVR, NVR support)



Achieve Monitoring All kinds of Cameras in One Screen on Computer



● FACTORY & OFFICE

M'TEAM



● EXHIBITIONS

M'TEAM

