

Model	MVT-CV29A
Sensor	1/3" CMOS pixelplus 1.0M/ 720P
SIGNAL	PAL / NTCS
Video Output	HD-CVI
Effective Pixels	1280(H)*720(V)
Min. Illumination	0.05Lux@(F1.2,AGC ON),0 Lux with IR
Shutter	1/3s~1/100,000s, supported slow shutter
Video Frequency	1280×720@50 fps;1280×720@60 fps
Synchronization	Internal
Video Output	1-channel BNC HDCVI high definition video output
Noise Reduction	3DNR
OSD	Support coaxial control
Exposure	Exposure mode / exposure level / exposure speed / anti flicker / backlight mode
AWB	Automatic / manual / day / night
Day/Night	Auto(ICR) / Color / B/W
Function Set	3DNR/ digital amplifier / lens type
Advanced features	Camera ID / Mirror / dynamic detection / privacy masking / language /485 set / system information
Image Adjustment	Sharpness / brightness / contrast / saturation / sharpness inhibition / a chroma suppression / gamma / switch
Transmission Distance	Over 500m via 75-3 coaxial cable
Power Supply	DC 12V±10%
Working Environment	30°C~+60°C/Less than 95%RH(no condensation)
Power Consumption	8W MAX



# HD-CVI

High Definition Composite Video Interface

## ① Introducing HD-CVI

Use Your Existing  
Coax Cable



True HD Quality



Extremely  
Cost Effective

## ② This will change everything!

Go From This



This is traditional  
cctv system vedio effect

To This!



This is HD-CVI  
720P Full Size

### Highlights

- HD 720P Video on coax.
- Long Distance Transmission up to 1600ft.
- Video, RS485 and sound over one cable.

## ③ Benefits

- Upgrade to Megapixel Quality on your coax cable!
- Long Rane Runs up to 1600ft!
- One Cable for Video, RS485 and Audio!
- No Signal Loss!
- Around the same price as the older analog CCTV technology!



Video



RS485



Easy Install



Audio

### P2P Function Advantages:

**\*Don't need do stable IP address setup**

**\*Don't need do DDNS setup**

**\*Don't need do Router setup**

**\*Reducing your after-sales cost**

# HD-CVI CCTV Camera and DVR

- \* Low cost high definition surveillance system
- \* Support long-distance HD transmission
- \* Same installation way as traditional CCTV system

## 720P HD-CVI camera

1/2.9"CMOS ,1.0M/720P,with IR CUT(PO3100)



### MVT-CV11A

Gray and White color optional,  
with 6mm Lens,36pcs×Φ5 IR leds,  
30m IR Distance,  
3-Axis bracket with cable built-in



### MVT-CV21A

Gray and White color optional,  
with 2.8-12mm vari-focal Lens,  
42pcs×Φ5 IR leds,  
35m IR Distance,  
bracket with cable built-in



### MVT-CV73A

with 8mm Lens,  
2 pcs 3rd generation LED Array,  
50m IR Distance,with bracket



### MVT-CV74A

with 16mm Lens,  
4 pcs 3rd generation LED Array,  
100m IR Distance,with bracket

## 720P Display&Record HD-CVI DVR



### MVT-CV6304

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 1pc hard disk  
4-Support P2P network view



### MVT-CV6404H

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH



### MVT-CV6504

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH



### MVT-CV6508

1-8CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH

## ● FACTORY & OFFICE

M' TEAM



## ● EXHIBITIONS

M' TEAM

