

## 8ch 1080P P2P 5 in 1 Hybrid CVBS IP TVI CVI 1080P DVR HD TVI(6708H80P)

### ● Features

**MTEAM**

Adopt Newest HiSilicon  
Chipset



New humanized  
User Interface



System come with  
28 kinds of languages



Adjustable DVR  
menu transparency



Support backup video  
records to DVR built-in  
redundant HDD



Support playback different  
time period video records in  
one screen, save time on find  
useful video records



5-in-1 hybrid modes:  
AHD+TVI+CVI+CVBS+IP



DVR menu with Ping  
command, convenient to do  
DVR network testing



With UTC Function,control  
analog camera and PTZ camera  
on DVR thru coaxial cable



Support P2P remote view  
by CMS and IE browser



Come with cloud ID,easy to  
realize P2P remote view  
by scan the QR Codes



Support remote view,record,  
playback, receive motion  
detection alarm by Iphone  
and Andriod Smartphone



- 1.AHD\TVI\CVI:8CH 1080P@15fps recording,  
4CH 1080P playback;
2. HVR:4CH 1080P@25fps Analog + 4CH 1080P@25fps IP recording,  
2CH 1080P@25fps playback;
- 3.NVR:8CH 1080P@25fps IP recording,  
4CH 1080P@25fps playback;
- 4-support digital zoom,wifi connection
- 5-Audio: 4ch input,1ch output

Model	6708H80P		
Compression	H.264 Standard compression		
Operation	Embedded Linux		
Image coding-control	Image edit adjustable,both changable and fix stream optional		
Dual stream	Can be set up in each channel		
Monitor image quality	1080P		
Image dynamic detection	Multiple detection areas in each channel		
Video framerate	AHD\TVI\CVI:8CH 1080P@15fps recording NVR:8CH 1080P@25fps IP recording		
Image playback quality	AHD\TVI\CVI: 4CH 1080P playback NVR: 4CH 1080P@25fps playback		
Video mode	Support manual, automatic, dynamic monitoring, alarm trigger video mode		
Backup mode	U disk, USB portable disk, USB burn, Network storage and backup		
Operate mode	Mouse, Remote controller,Front Panel Control		
login locally	admin and password		
Save recording	local hard disk and network		
External interface	Video input	180P@25FPS/CH NVR ,1080P@15FPS/CH AHD TVI CVI	
	Audio input	4×RCA	
	Network interface	10M/100M base-T Ethernet (RJ-45)	
	USB connect port	2 x USB 2.0	
	RS485	RS485*1	
	Alarm input	NO	
	Alarm output	NO	
	Internal HDD	1 SATA HDD port	
	Maximum capacity	Maximum 4TB each SATA	
	Cell phone monitoring	Support Window Mobile, iPhone,iPad, Android	
Power	12V/2A		

<b>DVR size</b>	255*45*235mm
<b>Weight</b>	<2.7kg(without HDD)

---

● **PRODUCT PICTURE**





**MTEAM**

## ▼ Packages

**M'TEAM**

Brand Camera Package



Neutral Camera Package



Brand DVR Package



## ▼ Shipping


**M'TEAM**





## ▼ Sales Office and Sample room

**M' TEAM**



## ▼ Our factory and production workflow

**M' TEAM**



## ▼ Trade Shows

**M' TEAM**



**Contact us:**

If you have any question, welcome to [contact us](#).

Your close attention to our company is highly appreciated.

Welcome to visit our official website [www.mvteamcctv.com](http://www.mvteamcctv.com) to view [video demos](#), [download product catalog](#) and read [CCTV technical articles](#).