

Feature

- 8*1080P(NVR), 8*720P(AHD),8*960H(Analog DVR) 3 ModesHybrid AHD DVR-NVR-Analog DVR
- standard HD HDMI/VGA interface
- Support HD video signal recording, storage, playback and transport
- Low latency system in favour of real-time HDvideo image processing

Specification

Model	AH6408H	
Compression	H.264 Standard compression	
Operation	Embedded Linux	
Image coding-control	Image edit adjustable,both changable and fix stream optional	
Dual stream	Can be set up in each channel	
Monitor image quality	8*1080P(NVR),8*720P(AHD),8*960H(Analog DVR)	
Image dynamic detection	Multiple detection areas in each channel	
Video framerate	720P 25FPS/CH AHD, 1080P 25FPS/CH NVR, 960H 25FPS/CH Analog DVR	
Image playback quality	AHD 8*720P 1000FPS ,NVR 8*1080P 100FPS, Analog DVR 8*960H 200FPS	
Video mode	Support manual, automatic, dynamic monitoring, alarm trigger video mode	
Backup mode	U disk, USB portable disk, USB burn, Network storage and backup	
Operate mode	Mouse, Remote controller,Front Panel Control	
login locally	admin and password	
Save recording	local hard disk and network	
External interface	Video input	720P 25FPS/CH AHD, 1080P 25FPS/CH NVR, 960H 25FPS/CH Analog DVR
	Audio input	4×RCA
	Video output	1*VGA,1*HDMI
	Audio output	1*RCA,1*HDMI
	Network interface	10M/100M base-T Ethernet (RJ-45)
	USB connect port	2 x USB 2.0
	RS485	RS485*1
	Alarm input	NO
	Alarm output	NO
Hard disk	Internal HDD	2 SATA HDD port
	Maximum capacity	Maximum 4TB each SATA□
Cell phone monitoring	Support Window Mobile, iPhone,iPad, Android	
Power	12V/4A	
DVR size	335*255*50mm	
Weight	<3.2kg(without HDD)	



P2P Function Advantages:


- *No stable IP address needed
- *No DDNS setup needed
- *No Router setup needed
- *Reducing your after-sales cost

Mobile Phone View

(All MVTEAM DVR, AHD DVR, CVI DVR, SDI DVR, NVR support)



Achieve Monitoring All kinds of Cameras in One Screen on Computer



● FACTORY & OFFICE

M TEAM



● EXHIBITIONS

M TEAM

