

Main Features:

1. Economical Security camera
2. Nice image quality and cheap price
3. widely compatible, able to match AHD DVR and All Standalone DVR
4. Easy to operate, Plug and Play
5. Advanced CMS software supporting 3G remote view

Application Places

Apply to the financial, supermarket, telecommunications, government, schools, airports, factories, hotels,

museums and other places of requirement of high-definition.

Model	MVT-D3441O	MVT-D3441F	MVT-D3441Z
Image Sensor	1/4" Color CMOS	1/3" Color CMOS	1/3" Color CMOS
TV System	PAL/NTSC		
Image Resolution	PAL:752(H)×582(V), NTSC:768(H)×494(V)	PAL:752(H)×582(V), NTSC:768(H)×494(V)	PAL:976(H)×582(V), NTSC:976(H)×494(V)
Horizontal Resolution	600TVL	600TVL	700TVL
Minimum illuminator	Color Model:0.003(0.6)lux(Sens-up OFF),B/W Model:0.0001(0.1)lux(Sens-up OFF)		
S/N(Y Signal)	>58dB		
AES	1/50-1/60,000sec(PAL),1/60-1/60,000sec(NTSC)		
WDR	—	—	—
DNR	—	—	—
OSD	—	—	—
White Balance	ATW/AWC/Manual/Outdoor(1,800°K~10,500°K)Indoor(4,500°K~8,500°K)		

AGC	AUTO
BLC	ON
Gamma Adjusting	0.45
synchronization System	Internal Synchronization
Video Output	1.0Vp-p,75Ω
Voltage	DC12V (9V ~ 15V)
Operating Enviroment	-20°C~60°C / 10% ~ 95%RH

● PRODUCT PICTURE

M TEAM



● FACTORY & OFFICE

M' TEAM



● EXHIBITIONS

M' TEAM

