

FEATURES



1. Economical Security camera
2. Good image quality and cheap price
3. Widely compatible, able to match AHD DVR and All Standalone DVR
4. Easy to operate, Plug and Play
5. Advanced CMS software supporting 3G remote view

SPECS



Model	MVT-R7041N	MVT-R7051A
Active Pixel	976*496	P: 976*582 N: 976*494
Resolution	900TVL	800TVL
Video Out	1.0Vp-p Composite Signal (75ohm)	1.0Vp-p Composite Signal (75ohm)
SYNC	Internal	Internal
Sensor	PC1099	P: ICX811AK N: ICX810AK
Minimum Illumination	0.01Lux	0.05Lux
Gama adjust	0.45	0.45
Electric Shutter	PAL:1/50s-1/100000s NTSC:1/60s-1/100000s	PAL:1/50s-1/100000s NTSC:1/60s-1/100000s
S/N Ratio	48dB(min)(AGC closed)	52dB(min)
DNR	-	3D-DNR
AWB	AUTO	ATW/PUSH/USER1/ USER2/ANTI CR/ MANUAL/PUSH LOCK
AGC	AUTO	AUTO
BLC	-	ON/OFF
OSD	-	YES
D-WDR	-	-
SWDR	-	OFF/Low/Midlow/ Mid/Midhigh/High
HLC	-	ON/OFF
D-Zoom	-	1-256
IR-Smart Day/Night	-	ON/OFF Auto <input type="checkbox"/> Color <input type="checkbox"/> Ext
Motion Detection	-	4 areas optional
Language	-	8 kinds
Power	50mA	120mA
Dissipation		

Power Input	DC12V±1V	DC12V±1V
Operation Temperature	Temperature -10°C~+60°C, Humidity less than 85%RH	Temperature -10°C~+60°C, Humidity less than 85%RH

● PRODUCT PICTURE



New Appearance CCTV Cameras



MVT-R46
8mm(CS) Lens,
42 pcs IR leds



MVT-R30
8mm Lens,
42pcs×Ø5 IR leds



MVT-R21
2.8-12mm
vari-focal Lens,
42pcs×Ø5 IR leds



MVT-R62
2.8-12mm
vari-focal Lens,
42pcs×Ø5 IR leds



MVT-R58
9-22mm
vari-focal Lens,
72pcs×Ø5 IR leds



MVT-D30
6mm lens,
24pcs×Ø5 IR leds



MVT-D22
6mm lens,
36pcs×Ø5 IR leds



MVT-D28
6mm lens,
36pcs×Ø5 IR leds



MVT-D29
2.8-12mm
vari-focal Lens,
36pcs×Ø5 IR leds



MVT-D26
2.8-12mm(M12)
vari-focal Lens

● FACTORY & OFFICE

M TEAM



● EXHIBITIONS

M TEAM



For more about Analog Products welcome to Visit [FAQ](#)