IK10 720P AHD vandal proof ir dome camera(MVT-AH26A)

FEATURES

Main Features:

*1MP/1.3MP/2MP AHD Cameras avilable
* AHD-CVI-TVI-CVBS 4-in-1 Cameraavailable
* OSD Menu optional(D-WDR ,BLC functionetc)
* Can be used as CVBS Camera with free switch Button
* Transmit Over Coaxible Cable 500m
* Support Balun transferring

Application Places:

Apply to replace the old analog system and new projects in the financial, supermarket, telecommunications, government, schools, airports, factories, hotels, museums and other places of requirement of high-definition.

SPECS

Model	MVT-AH26A
Sensor	OV9712+NVP2431H
SIGNAL	PAL / NTCS
Video Output	HD-AHD/CVBS
Effective Pixels	1280(H)*720(V)
Min. Illumination	0.05Lux @Color,0.01Lux B/W
Shutter	4/25s~1/45,000s
Video Frequency	1280×1024@50 fps□1280×1024@60 fps
Synchronization	Internal
Video Output	1-channel BNC HDAHD/CVBS high definition video output
BLC	optional
OSD	optional
AWB	Automatic / manual / day / night
Day/Night	Auto(ICR) / Color / B/W
Transmission Distance	Over 500m via 75-3 coaxial cable
Power Supply	DC 12V±10%

Working Environment	30°C~+60°C/Less than 95%RH(no condensation)
Power Consumption	4W MAX

PRODUCT PICTURE

IK10 Test report:

1. TEST SUMMARY

Table 1 Test overview

Test Items	Specimen status	Serial/Specimen No.	Test conclusion	Processed date
IK10 test	Unpackaged, non-operating	1#	Pass	Mar.04,2016

APPENDIX A PHOTO

No.	Depiction	Photo
1	Inspection before test	
2	Impact position (3 impacts on center,1 impact on left,1 impact on right)	
3	IK10 test (3 impacts on center)	

No.	Depiction	Photo
4	IK10 test (1 impact on left)	
5	IK10 test (1 impact on right)	
6	Inspection after test(the operation of the camera is normal)	

EXHIBITIONS

If you have any question, welcome to *contact us*.
Your close attention to our company is highly appreciated.
Welcome to visit our official website *www.mvteamcctv.com* to view video demos,download product

catalog and read CCTV technical articles.