# IK10 720P AHD vandal proof ir dome camera( MVT-AH26A)

### FEATURES

MYTEAM

### **Main Features:**

- \*1MP/1.3MP/2MP AHD Cameras avilable
- \* AHD-CVI-TVI-CVBS 4-in-1 Cameraavailable
- \* OSD Menu optional( D-WDR ,BLC functionetc)
- \* Can be used as CVBS Camera with free switch Button
- \* Transmit Over Coaxible Cable 500m
- \* Support Balun transferring

### **Application Places:**

Apply to replace the old analog system and new projects in the financial, supermarket, telecommunications, government, schools, airports, factories, hotels, museums and other places of requirement of high-definition.

### SPECS

MYTEAM

Model	MVT-AH26A			
Sensor	OV9712+NVP2431H			
SIGNAL	PAL / NTCS			
Video Output	HD-AHD/CVBS			
Effective Pixels	1280(H)*720(V)			
Min. Illumination	0.05Lux @Color,0.01Lux B/W			
Shutter	r 4/25s~1/45,000s			
Video Frequency	1280×1024@50 fps∏1280×1024@60 fps			
Synchronization	Internal			
Video Output	1-channel BNC HDAHD/CVBS high definition video output			
BLC	optional			
OSD	optional			
AWB	Automatic / manual / day / night			
Day/Night	Auto(ICR) / Color / B/W			
Transmission Distance	10)ver 500m via 75-3 coaxial cable			
Power Supply	DC 12V±10%			

Working Environme	nt 30°C~+60°C/Less than 95%RH(no condensation)
Power Consumption	4W MAX

# PRODUCT PICTURE

M'TEAM





IK10 Test report:

# 1. TEST SUMMARY



### Table 1 Test overview


Test Items	Specimen status	Serial/Specimen No.	Test conclusion	n Processed date	
IK10 test	Unpackaged, non-operating	1#	Pass	Mar.04,2016	

### APPENDIX A PHOTO

No.	Depiction	Photo	No.	Depiction	Photo
1	Inspection before test		4	IK10 test (1 impact on left)	
2	Impact position (3 impacts on center,1 impact on left,1 impact on right)		5	IK10 test (1 impact on right)	
3	IK10 test ( 3 impacts on center)		6	Inspection after test(the operation of the camera is normal)	No. TEAM

## EXHIBITIONS





catalog and read CCTV technical articles.