

**Main Features:**

1. Economical Security camera
2. Nice image quality and cheap price
3. widely compatible, able to match AHD DVR and All Standalone DVR
4. Easy to operate, Plug and Play
5. Advanced CMS software supporting 3G remote view

**Application Places**

Apply to the financial, supermarket, telecommunications, government, schools, airports, factories, hotels, museums

and other places of requirement of high-definition.

Model	MVT-D3041O	MVT-D3041F	MVT-D3041Z	MVT-D3041E	MVT-D3041A
Image Sensor	1/4" Color CMOS	1/3" Color CMOS	1/3" Color CMOS	1/4" Color CMOS	1/3" Color CMOS
TV System	PAL/NTSC				
Image Resolution	PAL:752(H)×582(V), NTSC:768(H)×494(V)	PAL:752(H)×582(V), NTSC:768(H)×494(V)	PAL:976(H)×582(V), NTSC:976(H)×494(V)	PAL:976(H)×582(V), NTSC:976(H)×494(V)	720P
Horizontal Resolution	600TVL	600TVL	700TVL	800TVL	1000TVL
Minimum illuminator	Color Model:0.003(0.6)lux(Sens-up OFF),B/W Model:0.0001(0.1)lux(Sens-up OFF)				
S/N(Y Signal)	>58dB				
AES	1/50-1/60,000sec(PAL),1/60-1/60,000sec(NTSC)				
WDR	—	—	—	—	—
DNR	—	—	—	—	—
OSD	—	—	—	—	—
White Balance	ATW/AWC/Manual/Outdoor(1,800°K~10,500°K)Indoor(4,500°K~8,500°K)				
AGC	AUTO				
BLC	ON				
Gamma Adjusting	0.45				
synchronization System	Internal Synchronization				
Video Output	1.0Vp-p,75Ω				

Voltage	DC12V (9V ~ 15V)
Operating Environment	-20°C~60°C / 10% ~ 95%RH

● PRODUCT PICTURE



● FACTORY & OFFICE



● EXHIBITIONS

