

Main Features:

- 1.0M / 1.3M / 2.0M pixel full optional real-time, high definition 1080P
- The follow-HD and CVBS video standard
- Fixed lens 6mm (M12)
- Waterproof Rating: IP66
- 75-3 general support under the coaxial cable transmission distance without loss of over 500M
- High-speed, long-distance, real-time transmission
- Support OSD
- IC transition, to reach day and night viewing
- 3rd generation actually imported used IR LEDs and high-resolution megapixel lens, this camera color restoration, image definition, and has been featured as a big performance night vision.

Applications:

Finance, supermarkets, telecommunications, government, schools, airports, factories, hotels, museums and other places to apply the high-resolution requirements.

Model	MVT-AH14P
Sensor	1/3" CMOS pixelplus 2.0M/ 1080P SON322
SIGNAL	PAL / NTCS
Video Output	HD-AHD/CVBS
Effective Pixels	1920(H)*1080(V)
Min. Illumination	0.01Lux F1.2
Shutter	4/25s~1/45,000s
Synchronization	Internal
Video Output	1-channel BNC HDAHD/CVBS high definition video output
BLC	optional
OSD	optional
AWB	Automatic / manual / day / night
Day/Night	Auto(ICR) / Color / B/W
Transmission Distance	Over 500m via 75-3 coaxial cable
Power Supply	DC 12V±10%
Working Environment	30°C~+60°C/Less than 95%RH(no condensation)
Power Consumption	4W MAX

● PRODUCT PICTURE

M TEAM



● FACTORY & OFFICE

M TEAM



● EXHIBITIONS

