# New Arrival! Waterproof Fixed Lens 30m IR AHD CCTV Camera(MVT-AH12)

• FEATURES M'TEAM



Quality reflective overlay, surface-emitting technology, can magnify the effect of focus, improve product performance and reliability.









#### SPECS

- MYTEAM
- 1-1.0M / 1.3M / 2.0M/3M pixel full optional real-time, high definition 3MP(2048\*1536)
- 2-2MP 3.6mm or 6mm fixed lens(M12)
- 3-Waterproof Rating: IP66
- 4-75- 3 general support under the coaxial cable transmission distance without loss of over 500M
- 5-High-speed, long-distance, real-time transmission

#### 6-Support OSD

Model	MVT-AH12A	MVT-AH12T	MVT-AH12B	MVT-AH12R	MVT-AH12P	MVT-AH12F
Sensor	1/4" CMOS (OV9732 +NVP2433) 1.0MP,with IR CUT	1/3" CMOS (AR0130 +NVP2433 ) 1.3MP,with IR CUT	1/3" CMOS (SONY225 +NVP2431H) 1.3MP,with IR CUT	1/3" CMOS (0803+ NVP2470H) 2.0MP,with IR CUT	1/3" CMOS (SONY322 +NVP2441H) 2.0MP,with IR CUT	1/3" CMOS (AR0330 +NVP2470H ) 3.0MP,with IR CUT
SIGNAL	PAL / NTCS					
Video Output	TVI/CVI/AHD	TVI/CVI/AHD	AHD	AHD	AHD	AHD
Lens	3.6mm or 6mm Lens(M12)					
IR Leds	36pcs×Φ5 IR leds					
IR Distance	30m IR Distance					
Min. Illumination	0.01Lux F1.2					
Shutter	4/25s~1/45,000s					
Synchronization	Internal					
BLC	optional					
OSD	optional					
AWB	Automatic / manual / day / night					
Day/Night	with IR Cut, Auto(ICR) / Color / B/W					
Transmission hidden	Over 500m via 75-3 coaxial cable					
Power Supply	DC 12V±10%					
Working	-30°C~+60°C/Less than 95%RH(no condensation)					
Environment						

Waterproof	IP66 with certificate		
Warranty	2 years		
Power Consumption	4W MAX		

#### Applications:

Finance, supermarkets, telecommunications, government, schools, airports, factories, hotels, museums and other places to apply the high-resolution requirements.





#### Q1:Can I view the camera on mobile phone and computer?

After connect the camera to DVR, you can view the camera thru DVRs' network view function.

Q2:Can I test sample before place mass order?

Sure, sample order is welcomed, MOQ is 1pc.

Q3:Can I buy the cameras with my own brand?

Yes, we accept OEM order.

Q4:How to supply proper voltage and amperage for the cameras?

Our AHD cameras are 12V DC, please refer to below guide:




\* Power supply's amperage cannot be less than CCTV camera's amperage.



### **VOTAGE DROP**

\* Power supply's wire will make voltage drop, so make sure not too long wire, and long wire with a thicker gauge. (Thicker gauge makes voltage drop more slowly).



## Voltage Drop(%)



Copyright All rights reserved



Package: MVTEAM Brand Box Or Netural Box Or Specified by customer.



Shipping: Based on the your demands to choose the best shipping way.

#### **Contact us:**

If you have any question, welcome to **Contact us**.

Your close attention to our company is highly appreciated.

Welcome to visit our official website **<u>www.mvteamcctv.com</u>** to view video demos,download product catalog and read CCTV technical articles