

New Technology 1080N 960*1080 4CH IP AHD TVI CVI Hybrid WiFi DVR (6704H80W)



● FEATURES

M TEAM



New Technology

There is a WIFI module in the back panel of DVR, users could connect the dvr to internet via WIFI.

Wifi ×

SSID	Authentication	Signal
ChinaNet-f5Ts	WPA1PSKWPA2!	Excellent
TP-LINK_91CA	WPA1PSKWPA2!	Excellent
ChinaNet-iUvQ	WPA1PSKWPA2!	Excellent
WaiMaoRouter	WPA1PSKWPA2!	Excellent
ChinaNet-9gVK	WPA1PSKWPA2!	Excellent
MVT	WPA2PSK	Excellent
	OPEN	Good
	WPA1PSKWPA2!	Good
ChinaNet-Yscb	WPA1PSKWPA2!	Good
520	WPA1PSKWPA2!	Good

Enable DHCP Enable

SSID

Password

IP Address

Subnet Mask

Gateway

Adopt Newest HiSilicon Chipset



New humanized User Interface


System come with 28 kinds of languages





Adjustable DVR menu transparency


Support backup video records to DVR built-in redundant HDD



Support playback different time period video records in one screen, save time on find useful video records



5-in-1 hybrid modes:
AHD+TVI+CVI+CVBS+IP



DVR menu with Ping command, convenient to do DVR network testing



With UTC Function, control analog camera and PTZ camera on DVR thru coaxial cable



● SPECS



- 1- AHD / TVI / CVI:4CH 1080N@25fps recording, 4CH 6fps 1080N playback
- 2- HVR: 2CH 1080N@25fps Analog + 2CH 1080P@25fps IP recording,1CH 1080P@25fps playback
- 3- NVR: 4CH 1080P@25fps IP recording, 1CH 1080P@25fps playback
- 4- audio: 4CH input
- 5- HDMI output

The model	6704H80W	
Compression	H.264 compression standard	
Operation	Embedded Linux	
The encoding of the image control	Image editing, both variables and fix the optional stream	
Dual stream	You can configure each channel	
The image quality of the monitor	1080N	
Dynamic detection of image	A variety of detection areas in each channel	
Video frame rate	25fps	
The quality of the image	1080N	
Video mode	Manual, automatic, dynamic monitoring, video mode an alarm trigger	
Backup mode	On disk, a portable USB drive, USB recording, network storage and backup	
Mode of operation	The mouse, Remote control, Front panel	
Log on locally	Admin and password	
Save recording	local hard disk and network	
External interface	Video input	4CH
	Audio input	4*RCA
	The network interface	10 m/100 m base-T Ethernet (RJ-45) or WiFi
	USB port connection	2 USB 2.0
	RS485	RS485 * 1
	Alarm input	#
	Alarm output	#
	Internal hard drive	1 SATA HDD
	Maximum capacity	The maximum 4TB SATA
Cell phone monitoring	Support the window Mobile, iPhone, iPad, Android	
Power supply	12V/2(A)	
The Size Of The DVR	255 * 45 * 235 mm	
The weight of the	< 2.7 kg (without HDD)	

▼ Packages

M'TEAM

Brand Camera Package



Neutral Camera Package



Brand DVR Package



▼ Shipping

M'TEAM



Contact us:

If you have any questions, feel free to [Contact us](#).

Your attention to our company is highly appreciated.

We invite you to visit our official website www.mvteamcctv.com To display the [video demonstrations](#), [Download product catalog](#) and read [Technical articles, CCTV](#).