

New Technology 4MP AHD TVI CVI IP CVBS Hybrid 8 Channel DVR(6708H400)

● Features

MTEAM

Adopt Newest HiSilicon
Chipset



New humanized
User Interface



System come with
28 kinds of languages



Adjustable DVR
menu transparency



Support backup video
records to DVR built-in
redundant HDD



Support playback different
time period video records in
one screen, save time on find
useful video records



5-in-1 hybrid modes:
AHD+TVI+CVI+CVBS+IP



DVR menu with Ping
command, convenient to do
DVR network testing



With UTC Function,control
analog camera and PTZ camera
on DVR thru coaxial cable



Support P2P remote view
by CMS and IE browser



Come with cloud ID,easy to
realize P2P remote view
by scan the QR Codes



Support remote view,record,
playback, receive motion
detection alarm by Iphone
and Andriod Smartphone



● Specifications



1-4MP(2048*1536) Hybrid DVR,support 4MP,3MP,2MP,1.3MP,1MP AHD/TVI/IP and 2MP,1.3MP,1MP CVI Cameras.

2-Different modes optional:

- 1)AHD/TVI:8CH 3MP@25fps recording, 4CH 3MP playback;
- 2)AHD/TVI:8CH 4MP@15fps recording, 8CH 4MP playback;
- 3)AHD/TVI:8CH 1080P@25fps recording, 8CH 1080P playback;
- 4)HVR:4CH 3MP@25fps Analog + 4CH 3MP@25fps IP recording, 4CH 3MP@25fps playback;
- 5)NVR:8CH 1080P@25fps IP recording, 8CH 1080P@25fps playback;
- 6)NVR:8CH 3MP@25fps IP recording, 8CH 3MP@25fps playback;
- 7)NVR:4CH 5MP@25fps IP recording, 4CH 5MP@25fps playback;

3-Support P2P remote view on mobile and PC

Model	6708H400		
Compression	H.264 Standard compression		
Operation	Embedded Linux		
Image coding-control	Image edit adjustable,both changable and fix stream optional		
Dual stream	Can be set up in each channel		
Monitor image quality	4MP(2560*1440),3MP(2048*1536),1080P,1024P,720P		
Image dynamic detection	Multiple detection areas in each channel		
Hybrid	AHD,TVI,CVI,IP,CVBS		
Video mode	Support manual, automatic, dynamic monitoring, alarm trigger video mode		
Backup mode	U disk, USB portable disk, USB burn, Network storage and backup		
Operate mode	Mouse, Remote controller,Front Panel Control		
login locally	admin and password		
Save recording	local hard disk and network		
External interface	Video input	8xBNC	
	Audio input	4×RCA	
	Network interface	10M/100M base-T Ethernet (RJ-45)	
	USB connect port	2 x USB 2.0	
	RS485	RS485*1	
	Alarm input	NO	
	Alarm output	NO	
	Internal HDD	1 SATA HDD port	
	Maximum capacity	Maximum 4TB each SATA	
	Cell phone monitoring	Support Window Mobile, iPhone,iPad, Android	
Power	12V/2A		

DVR size	255*45*235mm
Weight	<2.7kg(without HDD)

● **PRODUCT PICTURE**





M'TEAM

▼ Packages

M'TEAM

Brand Camera Package



Neutral Camera Package



Brand DVR Package




▼ Shipping

M'TEAM



▼ Sales Office and Sample room

M' TEAM



▼ Our factory and production workflow

M' TEAM



▼ Trade Shows

M' TEAM



Contact us:

If you have any question, welcome to [contact us](#).

Your close attention to our company is highly appreciated.

Welcome to visit our official website www.mvteamcctv.com to view [video demos](#), [download product catalog](#) and read [CCTV technical articles](#).