

Features:

1. Waterproof 1MP HD Network Camera
2. With 3MP HD Lens
3. P2P function, Motion Detection, FTP
4. Mobile Phone remote playback and record
5. With audio-in and out port
6. 1 year Warranty
7. With CE, FCC, RoHS certificates
8. POE Optional

Model	MVT-M5820
Sensor type	Hi3518C+OV9712, 1/4" CMOS sensor
Compress standard	H.264 Main profile, MPEG4, MJPEG
Main Stream	1280*720@30fps
Shutter speed	1/50(1/60) ~ 1/100,000 s
Video compression	32Kbps~16Mbps
Lens	3M Pixels 2.8~12mm Lens
Lens Interface type	(M12)
Day and night switch system	IR-CUT
Audio Compression	ADPCM
Minimum illumination	0.05Lux @Color, 0.01Lux B/W
Image setting	Saturation, brightness, contrast ratio can be adjusted by CMS and IE browser
Intelligent alarm	Motion detecting, video loss, network cable disconnection, and IP address conflict
Memory Function	Network storage
Network Protocol	P2P, RTP, RTSP, TCP/IP, HTTP, DHCP, DNS, DDNS, PPPoE, SMTP, NTP
General function	Flash-prevention, double stream, heartbeat, password protection
Communication interface	1ch RJ45, 10M/100M ethernet ports adaptively
LED	72pcs leds
IR distance	60m
IP Grade	IP66



● EXHIBITIONS

