Vandal-proof Car Safety Monitoring IP CCTV Camera 1080P HD Indoor Vehicle Security Camera

FEATURES

MYTEAM

- •2MP 1080P full real-time
- •Follow AHD, TVI, CVI, CVBS video standard
- •12pcs IR leds, 10m IR distance
- •with 3.6 mm (M12) Lens
- cable with aviation connector (4 pin female socket)
- High-speed, long-distance, real-time transmission
- support OSD menu
- with ICR switching, to achieve Day and Night monitoring
- •Used genuinely imported 3rd generation IR LEDs and megapixel high definition lens, these cameras have been featured as great performance in color restoration, image definition and night viewing.

|Show appearance |











RJ45 Connector





Unit:mm

Model	MVT-M3680P
Sensor	Hi3516C + SONY IMX323,1/2.9" Sony sensor
Compress standard	H.264 Main profile,MPEG4,MJPEG
Main Stream	AHD/TVI/CVI/CVBS 4 IN 1

Shutter speed	$1/50(1/60) \sim 1/100,000 \text{ s}$
Video compression	32Kbps~16Mbps
Lens	HD 3MP 3.6mm Lens(CS)
Lens Interface type	M12
Day and night switch system	IR-CUT
Minimum illumination	0.05Lux @Color,0.01Lux B/W
Image setting	Saturation,brightness,contrast ratio can be adjusted by viewing in IE browser
Intelligent alarm	Motion detecting, video loss,network cable disconnection, and IP address conflict
Memory Function	Network storage
Network Protocol	P2P,RTP,RTSP,TCP/IP,HTTP,DHCP,DNS,DDNS, PPPoE,SMTP,NTP
General function	Flash-prevention, double stream, heartbeat, password protection
Communication interface	1ch RJ45,10M/100M ethernet ports adaptively
Power	POE or 12V 2A Power supply adaptor
LED	12pcs leds
IR distance	10m
IP Grade	indoor use

Application



Application: Apply for Car, Bus, Truck, Tumbrel, Fire engines etc.

• EXHIBITIONS M'TEAM



Contact us:

If you have any question, welcome to <u>Contact us</u>.
Your close attention to our company is highly appreciated.
Welcome to visit our official website <u>www.mvteamcctv.com</u>.