

<b>Modelo</b>	<b>MVT-CV30A</b>
<b>Sensor</b>	1/3 "CMOS Pixelplus 1,0 M / 720P
<b>SINAL</b>	PAL / NTCS
<b>Saída de Vídeo</b>	HD-CVI
<b>Pixels Efetivos</b>	1,280 (H) * 720 (V)
<b>Min. Iluminação</b>	0.05lux @(F1.2, AGC ON), 0 lux com IR
<b>Shutter</b>	1 / 3s~1 / 100,000s, apoiado lento persiana
<b>Vídeo Frequência</b>	1280 × 720 @ 50 fps;1280 × 720 @ 60 fps
<b>Sincronização</b>	Interno
<b>Saída de Vídeo</b>	1 canal BNC HDCVI saída de vídeo de alta definição
<b>Redução de ruído</b>	3DNR
<b>OSD</b>	Controle coaxial apoio
<b>Exposição</b>	Modo de exposição / nível de exposição / velocidade exposição / anti flicker modo / retroiluminação
<b>AWB</b>	Automático / manual / dia / noite
<b>Dia e noite</b>	Auto (ICR) / Cor / B / W
<b>Set Função</b>	3DNR / digitais amplificador tipo / lente
<b>Características avançadas</b>	Camera ID / Espelho Detecção / dinâmica / mascaramento de privacidade / linguagem / 485 set / sistema informação
<b>Ajuste de Imagem</b>	Nitidez / brilho / contraste / saturação / nitidez inibição / a supressão chroma / Gama / switch
<b>Distância de transmissão</b>	Mais de 500 milhões via 75-3 cabo coaxial
<b>Fonte de energia</b>	DC 12V ± 10%
<b>Ambiente de trabalho</b>	30 ° C ~ 60 ° C + / Menos a 95% RH (sem condensação)
<b>Consumo de energia</b>	8W MAX




# HD-CVI

High Definition Composite Video Interface

## ① Introducing HD-CVI

Use Your Existing  
Coax Cable



True HD Quality



Extremely  
Cost Effective

## ② This will change everything!

Go From This



This is traditional  
cctv system vedio effect

To This!



This is HD-CVI  
720P Full Size

### Highlights

- HD 720P Video on coax.
- Long Distance Transmission up to 1600ft.
- Video,RS485 and sound over one cable.

## ③ Benefits

- Upgrade to Megapixel Quality on your coax cable!
- Long Rane Runs up to 1600ft!
- One Cable for Video,RS485 and Audio!
- No Signal Loss!
- Around the same price as the older analog CCTV technology!



Video



RS485



Easy Install



Audio

## P2P Função Advantages:

- \* Não precisa fazer a configuração endereço IP estável
- \* Não precisa fazer a configuração DDNS
- \* Não precisa fazer a configuração do roteador
- \* Reduzir o custo de pós-venda

# HD-CVI CCTV Camera and DVR

- \* Low cost high definition surveillance system
- \* Support long-distance HD transmission
- \* Same installation way as traditional CCTV system

## 720P HD-CVI camera

1/2.9"CMOS ,1.0M/720P,with IR CUT(PO3100)



### MVT-CV11A

Gray and White color optional,  
with 6mm Lens,36pcs×Φ5 IR leds,  
30m IR Distance,  
3-Axis bracket with cable built-in



### MVT-CV21A

Gray and White color optional,  
with 2.8-12mm vari-focal Lens,  
42pcs×Φ5 IR leds,  
35m IR Distance,  
bracket with cable built-in



### MVT-CV73A

with 8mm Lens,  
2 pcs 3rd generation LED Array,  
50m IR Distance,with bracket



### MVT-CV74A

with 16mm Lens,  
4 pcs 3rd generation LED Array,  
100m IR Distance,with bracket

## 720P Display&Record HD-CVI DVR



### MVT-CV6304

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 1pc hard disk  
4-Support P2P network view



### MVT-CV6404H

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH



### MVT-CV6504

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH



### MVT-CV6508

1-8CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH

## ● FACTORY & OFFICE

M'TEAM



## ● EXHIBITIONS

M'TEAM

