

| | |
|-------------------------|--|
| Модель | MBT-CV29A |
| Датчик | 1/3 "CMOS pixelplus 1,0 М / 720P |
| СИГНАЛ | PAL / NTCS |
| Видео выход | HD-XBН |
| Эффективные пиксели | 1 280 (H) * 720 (V) |
| Минимум Освещение | 0.05Lux @(F1.2, АРУ включена), 0 люкс с ИК |
| Затвор | 1 / 3s~1 / 100,000s поддержке медленный затвор |
| Видео Частота | 1280 x 720 @ 50 кадров в секунду;1280 x 720 @ 60 кадров в секунду |
| Синхронизация | Внутренний |
| Видео выход | 1-канальный BNC HDCVI высокой четкости видео выход |
| Подавление шума | 3DNR |
| OSD | Поддержка управления по коаксиальному кабелю |
| Воздействие | Режим экспозиции / скорость / Уровень экспозиции / анти мерцания / режим подсветки |
| AWB | Автоматический / ручной / день / ночь |
| День Ночь | Авто (ICR) / Цвет / В / W |
| Функция Set | 3DNR / цифровой усилитель / тип объектива |
| Расширенные возможности | ID камеры / Зеркало / Динамическое обнаружение / маскировка язык / 485 набор / информация / Система |
| Настройка изображения | Резкость / яркость / контрастность / насыщенность / резкость торможения / подавление цветности / гамма / выключатель |
| Расстояние передачи | За 500 м через 75-3 коаксиального кабеля |
| Источник питания | 12 В постоянного тока ± 10% |
| Рабочая обстановка | 30 ° C ~ + 60 ° C / Менее 95% относительной влажности (без конденсации) |
| Потребляемая мощность | 8W MAX |




HD-CVI

High Definition Composite Video Interface

① Introducing HD-CVI

Use Your Existing
Coax Cable



True HD Quality



Extremely
Cost Effective

② This will change everything!

Go From This



This is traditional
cctv system vedio effect

To This!



This is HD-CVI
720P Full Size

Highlights

- HD 720P Video on coax.
- Long Distance Transmission up to 1600ft.
- Video,RS485 and sound over one cable.

③ Benefits

- Upgrade to Megapixel Quality on your coax cable!
- Long Rane Runs up to 1600ft!
- One Cable for Video,RS485 and Audio!
- No Signal Loss!
- Around the same price as the older analog CCTV technology!



Video



RS485



Easy Install



Audio

P2P Функция Advantages:

- * Не нужно делать стабильной IP-адрес установки
- * Не нужно делать настройку DDNS
- * Не нужно делать настройку маршрутизатора
- * Снижение стоимости вашего послепродажного

HD-CVI CCTV Camera and DVR

- * Low cost high definition surveillance system
- * Support long-distance HD transmission
- * Same installation way as traditional CCTV system

720P HD-CVI camera

1/2.9"CMOS ,1.0M/720P,with IR CUT(PO3100)



MVT-CV11A

Gray and White color optional,
with 6mm Lens,36pcs×Φ5 IR leds,
30m IR Distance,
3-Axis bracket with cable built-in



MVT-CV21A

Gray and White color optional,
with 2.8-12mm vari-focal Lens,
42pcs×Φ5 IR leds,
35m IR Distance,
bracket with cable built-in



MVT-CV73A

with 8mm Lens,
2 pcs 3rd generation LED Array,
50m IR Distance,with bracket



MVT-CV74A

with 16mm Lens,
4 pcs 3rd generation LED Array,
100m IR Distance,with bracket

720P Display&Record HD-CVI DVR



MVT-CV6304

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 1pc hard disk
4-Support P2P network view



MVT-CV6404H

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH



MVT-CV6504

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH



MVT-CV6508

1-8CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH

● FACTORY & OFFICE

M'TEAM



● EXHIBITIONS

M'TEAM

