


**Ana Özellikler:**

- 1.3M piksel tam gerçek zamanlı
- takip HD ve CVBS video standardıdır
- 3. nesil LED Array, 15m IR Mesafesi, Vandalproof Kamera • 3 adet
- 360 derece • **Balık-Göz** Panor5MP 1.5mm (M12) Lens ile amic Kamera,
- kaybı olmadan genel 75- 3 koaksiyel kablo altında 500M üzerinde destek iletim mesafesi
- Yüksek hız, uzun mesafe, gerçek zamanlı iletim
- Destek OSD menüsü
- ICR geçiş ile, Gündüz ve Gece izleme ulaşmak için
- Kullanılan gerçekten ithal 3. nesil IR LED ve megapiksel yüksek çözünürlüklü lens, bu kameralar renk restorasyon, görüntü tanımı ve gece görüş büyük performans olarak özellikli olmuştur.

## Uygulama Yerleri

Finans, süpermarket, telekomünikasyon, hükümet, okullar, havaalanları, fabrikalar, oteller, müzeler ve yüksek çözünürlüklü gereksinimi başka yerlere uygulayın.

Model	MVT-AH60T	MVT-AH60B
Sensor	1/3" CMOS pixel plus 1.3M/ 1024P AR0130	1/3" CMOS pixel plus 1.3M/ 1024P SONY225
SIGNAL	PAL / NTCS	
Video Output	HD-AHD/CVBS	
Effective Pixels	1280(H)*1024(V)	1280(H)*1024(V)
Min. Illumination	0.01Lux F1.2	
Shutter	4/25s~1/45,000s	
Synchronization	Internal	
Video Output	1-channel BNC HDAHD/CVBS high definition video output	
BLC	optional	
OSD	optional	
AWB	Automatic / manual / day / night	
Day/Night	Auto(ICR) / Color / B/W	
Transmission Distance	Over 500m via 75-3 coaxial cable	
Power Supply	DC 12V±10%	
Working Environment	30°C~+60°C/Less than 95%RH(no condensation)	
Power Consumption	4W MAX	





Hakkında daha fazla bilgi için AHD Ürünler ziyaret etmenizi bekliyoruz SSS