


Ana Özellikler:

- 1.3M piksel tam gerçek zamanlı
- takip HD ve CVBS video standardıdır
- 3. nesil LED Array, 15m IR Mesafesi, Vandalproof Kamera • 3 adet
- 360 derece • **Balık-Göz** Panor5MP 1.5mm (M12) Lens ile amic Kamera,
- kaybı olmadan genel 75- 3 koaksiyel kablo altında 500M üzerinde destek iletim mesafesi
- Yüksek hız, uzun mesafe, gerçek zamanlı iletim
- Destek OSD menüsü
- ICR geçiş ile, Gündüz ve Gece izleme ulaşmak için
- Kullanılan gerçekten ithal 3. nesil IR LED ve megapiksel yüksek çözünürlüklü lens, bu kameralar renk restorasyon, görüntü tanımı ve gece görüş büyük performans olarak özellikli olmuştur.

Uygulama Yerleri

Finans, süpermarket, telekomünikasyon, hükümet, okullar, havaalanları, fabrikalar, oteller, müzeler ve yüksek çözünürlüklü gereksinimi başka yerlere uygulayın.

Model	MVT-AH60T	MVT-AH60B
Sensor	1/3" CMOS pixel plus 1.3M/ 1024P AR0130	1/3" CMOS pixel plus 1.3M/ 1024P SONY225
SIGNAL	PAL / NTCS	
Video Output	HD-AHD/CVBS	
Effective Pixels	1280(H)*1024(V)	1280(H)*1024(V)
Min. Illumination	0.01Lux F1.2	
Shutter	4/25s~1/45,000s	
Synchronization	Internal	
Video Output	1-channel BNC HDAHD/CVBS high definition video output	
BLC	optional	
OSD	optional	
AWB	Automatic / manual / day / night	
Day/Night	Auto(ICR) / Color / B/W	
Transmission Distance	Over 500m via 75-3 coaxial cable	
Power Supply	DC 12V±10%	
Working Environment	30°C~+60°C/Less than 95%RH(no condensation)	
Power Consumption	4W MAX	





Hakkında daha fazla bilgi için AHD Ürünler ziyaret etmenizi bekliyoruz SSS